


## DRIVER DISC content

Layer 1	
\API Package	Folder
\DRIVER	Folder
\USER MANUAL	Folder
README	PDF file



Layer 2 \API Package folder	
\DEMO PROJECT folder	Demo AP
\Prox API Standard folder	A01-0000-000-03-170214 x64(SE8400)
\Document folder	Guide

Layer 2 \DRIVER folder																			
\Flash BIOS folder	BIOS & Updating tool																		
\Platform folder	<p>Driver</p> <p>1. The sequence of setup is, Main Chip =&gt; KMDf(Win7)=&gt; Intel(R) ME Package =&gt; VGA =&gt; LAN =&gt; SOUND =&gt; USB3.0 [Device folder] (Win7)</p> <p>2. You will be prompted to reboot when installation is complete.</p> <p><b>Main Chip /Intel® Skylake CPU</b></p> <table border="1"> <thead> <tr> <th colspan="3">Main board version: RA</th> </tr> </thead> <tbody> <tr> <td rowspan="2">for Windows 7</td> <td>32bit</td> <td>10.1.1</td> </tr> <tr> <td>64bit</td> <td>10.1.1</td> </tr> <tr> <td rowspan="2">for Windows Embedded 8.1</td> <td>32bit</td> <td>NA</td> </tr> <tr> <td>64bit</td> <td>10.1.1</td> </tr> <tr> <td rowspan="2">for Windows 10</td> <td>32bit</td> <td>NA</td> </tr> <tr> <td>64bit</td> <td>10.1.1</td> </tr> </tbody> </table>	Main board version: RA			for Windows 7	32bit	10.1.1	64bit	10.1.1	for Windows Embedded 8.1	32bit	NA	64bit	10.1.1	for Windows 10	32bit	NA	64bit	10.1.1
Main board version: RA																			
for Windows 7	32bit	10.1.1																	
	64bit	10.1.1																	
for Windows Embedded 8.1	32bit	NA																	
	64bit	10.1.1																	
for Windows 10	32bit	NA																	
	64bit	10.1.1																	

\Platform folder

### Intel® ME Package

Main board version: RA		
for Windows 7	32bit	11.0.0.1174
	64bit	11.0.0.1174
for Windows Embedded 8.1	32bit	NA
	64bit	11.0.0.1174
for Windows 10	32bit	NA
	64bit	11.0.0.1174

### Windows update KMDF & MBI

Main board version: RA		
for Windows 7	32bit	kmdf-1.11-Win-6.1-x86
	64bit	kmdf-1.11-Win-6.1-x64
for Windows Embedded 8.1	32bit	NA
	64bit	NA
for Windows 10	32bit	NA
	64bit	NA

### Graphics /Intel® HD Graphics 530

Main board version: RA		
for Windows 7 Sky Lake	32bit	20.19.15.4463
	64bit	15.45.14.64.4590
for Windows Embedded 8.1 Sky Lake	32bit	NA
	64bit	15.45.14.64.4590
for Windows 10 Kaby Lake & Sky Lake	32bit	NA
	64bit	15.45.14.64.4590

### RAID/

Main board version: RA		
for Windows 7	32bit	14.8.0.1042
	64bit	14.8.0.1042
for Windows Embedded 8.1	32bit	NA
	64bit	14.8.0.1042
for Windows 10	32bit	NA
	64bit	14.8.0.1042

### LAN Chip/ INTEL i219

Main board version: RA		
for Windows 7	32bit	12.15.23.1
	64bit	12.15.23.1
for Windows Embedded 8.1	32bit	NA
	64bit	12.15.23.1
for Windows 10	32bit	NA
	64bit	12.15.23.1

### INTEL i210

Main board version: RA		
for Windows 7	32bit	12.13.27.0
	64bit	12.13.27.0
for Windows Embedded 8.1	32bit	NA
	64bit	12.14.7.0
for Windows 10	32bit	NA
	64bit	12.14.7.0

### Sound Codec / Realtek ALC888S

Main board version: RA		
for Windows 7	32bit	6.0.1.7541
	64bit	6.0.1.7541
for Windows Embedded 8.1	32bit	NA
	64bit	6.0.1.7541
for Windows 10	32bit	NA
	64bit	6.0.1.7541

### USB 3.0

for Windows7	32bit	4.0.4.51
	64bit	4.0.4.51